Subject Index

Acetylcholine (ACh)
  currents activated by, 115–120
  hippocampal release of, 633–634
  and optokinetic modulation of P-cells, 703–705
Afferent neurons. *See also* Crista ampullaris; Hair cells
  bouton afferents. *See also* Hair cells (Type II)
    calyx-bearing afferents comparison with, 193
    discharge properties of, 186–187
    distribution in crista, 184, 186
    microvesicles in, 10
  calyx-bearing afferents. *See also* Hair cells (Type I)
    bouton afferents comparison with, 193
    discharge properties of, 186–187
    and feedback control, 10
  dimorphic afferents, 183–184
  diversity among, 214–215
  interspecific comparison of, 192–193
  intra-axonal labeling studies of, 184–187
  microvesicles in, 2, 4–10
  otolith afferent processing, 352–354
  physiological properties of
    discriminant analysis of, 187–188
    efferent activation and, 189–191
    and rate-intensity relations, 188–190
    terminal morphology and, 183–184
  projections to brain stem, 611–613
  response dynamics of, 184–187
    efferent activation and, 184, 189–191
    post-transduction current, 213, 235, 238–239
  in vertebrate cristae, 164–179
    distribution of, 183
Angular vestibulo-ocular reflex (aVOR). *See also* Linear vestibulo-ocular reflex
  combined lVOR-aVOR accelerations simulation, 356–358
  in compensatory network, 348–352, 354–361
  and eye movements, 299–300
  linear acceleration effects on, 359
  locomotion effects on, 348
  lVOR interaction with, 348–349, 580–582
    modeling the, 350–352
    and otolith afferent processing, 352–354
  spatial orientation of, 364–365
    GIA and, 365, 372
    neural substrate of, 365–366
    nodulus/uvula and, 372–380
    and OKN/OKAN, 364
    velocity storage and, 348, 359–361
Autonomic nervous system
  and nausea, 633–634
  vestibular influences on, 469–470
    and autonomic symptoms, 458
    and blood pressure/respiration control, 459–462
  vestibular system and, 458
AVOR. *See* Angular vestibulo-ocular reflex
aVOR. *See* Angular vestibulo-ocular reflex

β-nucleus
  cerebellar projections in, 547–548
  GABAergic innervation of, 541
  neuron recordings from, 544–545
  VN connections with, 548–551

Calcium channels
  multiple calcium-dependent mechanisms, 495
  and spike generation gain control, 492–494
  and VOR plasticity, 494–495
Calcium metabolism. *See also* Calcium channels
  in hair cells, 123, 134–136
    calcium-activated potassium current and, 124–127
    calcium hotspots and, 127–129
    extrusion mechanism in, 128–131
    membrane recycling and, 131–134
Cholinergic systems, vestibular influences on, 633–634
Ciliary bundle. *See also* Hair cells
  distribution of, 88
  regeneration of, 59–60
    mitotic, 60–63, 66–69
    nonmitotic, 63–69
  stiffness of
    array analysis of, 96, 99
    bundle thickness and, 91, 98–100
    stereocilia height falloff and, 95–98
    stereocilia number and, 93–100
  structure of
    DIC micrographs of, 90–91
    finite element analysis of, 91–93
    hair cell types and, 88–98
    SEM views of, 88–90
    single column analysis of, 93–96
    variations in, 96–98
  thickness of
    ciliary number and, 90–91
    profile and, 89–90, 92–96
    and stiffness, 91, 98–100
  and transducer currents, 650–652
  in vestibular signaling, 85

Crista ampullaris
cytoarchitectural features of, 164–165, 178–179
in amphibians, 166, 168, 170–172, 176
in birds, 169, 173–174, 176
in fish, 165–168, 170–171, 176
in mammals, 169–170, 174–178
in reptiles, 168, 172–174, 176
efferent system in, 193–194
innervation of, 184, 186
interspecific comparisons of, 192–193
nerve fiber development in, 2–4
synaptic organization of, 164–165, 178–179
in amphibians, 166, 168, 170–172, 176
in birds, 169, 173–174, 176
in fish, 165–168, 170–171, 176
in mammals, 169–170, 174–178
in reptiles, 168, 172–174, 176
synaptogenesis in, 2–4

DC. *See* Dorsal cap
Delayed rectifier K^+ conductance (g_{DR}), 75–77, 82
and type I hair cell voltage response, 690–692
DIC. *See* Differential interference contrast microscopy
Differential interference contrast microscopy (DIC), of ciliary bundles, 90–91
DMCC. *See* Dorsomedial cell column
dmcc. *See* Dorsomedial cell column
Dorsal cap (DC) fibers
in floccular compartments, 559, 561–564
in nodulus, 566–568
in vestibular nuclei, 571–574
Dorsomedial cell column (DMCC), 541–551
cerebellar projections in, 547–548
GABAergic innervation of, 541
neuron recordings from, 544–545
in vestibulocerebellum innervation, 566–569, 571, 574
VN connections with, 548–551

Efferent neurons. *See also* Labyrinthine efferent system
activation of
and afferent responses, 189–191
and response dynamics, 178
boutons and, 165, 167–177. *See also* Hair cells (Type II)
characteristics of, 168–169
crista system of, 193–194
effects of, 179
ionic control of, 115–119
NOS localization in, 658–661
processes
and depolarization, 202
possible roles of, 209–210
EHV. *See* Eye/head vestibular neurons
Epidermal growth factor (EGF). *See* Growth factors
EPSPs. *See* Excitatory postsynaptic potentials
Excitatory postsynaptic potentials (EPSPs)
AMPA receptor mediation of, 503–504
in longus capitus motoneurons, 271–273
in obliquus capitus inferior motoneurons, 267–271
in rectus capitus motoneurons, 265–266, 272–273
in sternocleidal muscle motoneurons, 271
Eye/head vestibular (EHV) neurons, 295, 299–300. *See also* Secondary vestibular neurons
Eye movement. *See also* Vestibulo-ocular reflex
aVOR and, 299–300
disjunctive, 724–728
full-cycle visual-vestibular interaction and, 414–416
half-cycle visual-vestibular interaction and, 416
horizontal movement analysis of
and half-cycle visual-vestibular interaction, 419
and vestibulo-oculomotor responses, 416
and visual-vestibular interaction, 416–418
during low-frequency centripetal acceleration, 693–695
nucleus incertus (NIC) neural sensitivity to, 591–593
P-cell inverse representation of, 318–321
short-latency ocular-following, 314–315
pathway mediating, 314
P-cell response properties during, 316–318
vestibulo-oculomotor responses, 413
vestibulospinal neuron responses to, 244–245
firing behavior, 248–250
in nonsecondary vestibulospinal neurons, 250, 258
in secondary vestibulospinal neurons, 248–249, 258
visual-oculomotor response, 413
visual-vestibular interaction and, 413
and vestibular motion sensation, 407–408, 419–422

Fastigial nucleus (FN)
neurons in
characteristics of, 305–306

functional considerations of, 310–311
modulation of, 304–306
orientations of, 306–308
phase relation of, 306
response amplitude of, 306
P-cell input to, 304
vestibular signals in, 308–310
FEA. *See* Finite element analysis
Finite element analysis (FEA), 91–93
Flocculus/paraflocculus
DC fibers to, 559, 561–564
modular organization of
comparisons of, 561–564
in primates, 564–565
and vestibulocerebellum concept, 574
and vestibulocerebellum organization, 557, 559–560
mossy fiber projections to, 556–557
P-cell connections of, 561–562
white matter compartments in, 559–561
FN. *See* Fastigial nucleus

g_{DR}. *See* Delayed rectifier K^+ conductance
g_h. *See* Inwardly rectifying current
g_{KI}. *See* K^+-selective inwardly rectifying conductance
$g_{K,L}$. *See* Low-voltage-activating K^+ conductance
GABAergic neurons
categories of, 443
in inferior olive innervation, 547–551
in MVN
axon terminals of, 454
bouton synaptology of, 454–455
types of, 447
P-cell innervation of, 607–610
projections of
in dmcc, 547
in β-nucleus, 547
recordings of
from dmcc, 544–546
from β-nucleus, 544–546
ultrastructure of, 446–447
in vestibular complex, 443–444, 607–610
axon terminal types of, 447–450, 454
distribution of, 445–447
synaptology of, 448–449
ultrastructure of, 450–454
GABAergic pathways
to β-nucleus, 544–546
to dmcc, 544–546
to inferior olive, 541, 544
Gentamicin treatment
hair cell recovery following, 61–63
ototoxicity of, 60
and supporting-cell density, 63–66
GIA. *See* Gravito-inertial acceleration
Gravito-inertial acceleration (GIA)
aVOR velocity storage alignment with, 359
direction of
and aVOR-lVOR interaction, 348–349, 356–361
and aVOR spatial orientation, 365
and OKAN/OKN, 364
orientation mechanism, 350, 352
and lVOR compensatory response, 360–361
and OKAN, 356–357
otolith response to, 350, 352
Growth factors, and hair-cell progenitor proliferation, 38–42

Hair cells. *See also* Hair cells (Type I); Hair cells (Type II); Utricular hair cells; Vestibular hair cells
afferent innervation of, 164–165, 178–179. *See also* Crista ampullaris
calcium metabolism in, 123, 134–136
Ca-activated K current and, 124–127
Ca hot spots and, 127–129
extrusion mechanism in, 128–131
membrane recycling and, 131–134
differential interference contrast (DIC) analysis of, 90–91
electrophysiology of, 482–483
gentamicin treatment of
ototoxicity of, 59–62
regeneration following, 61–63
hair cell bundle. *See* Ciliary bundle
proliferation of, 645
regeneration of, 47
following gentamicin treatment, 61–66
mitotic, 60–63, 66–68
nonmitotic, 63–68
stem cell proliferation and, 66–68
transdifferentiation and, 66–68
in vestibular otolith organs, 59, 66–69
and VOR recovery, 47, 50–56
tuning
in current-clamp vs. voltage-clamp, 106–108
efferent control basis, 115–119
electrical resonance variations, 119–121
extended current-voltage relation, 108–110
external K^+ effects, 114–115
ionic conductances and, 103–119
potassium current dissection, 110–114
response to acoustic/electrical stimuli, 105–106
voltage effects, 114–115
type identification, 88–91
Hair cells (Type I)
calyx endings of

conventional synaptic transmission between, 475–477
ephaptic transmission between, 480
functional considerations, 484–486
and innervation, 196–197
and intercellular K^+ accumulation, 480–482
transmission between, 474
unconventional intercellular communication between, 478, 480
distribution of, 183
filtering properties of, 138–148
and K^+ conductance, 71
microvesicles in, 2, 4–10
polarized organization of, 10–11
structure of, 474–475
voltage response modification in, 690–692
and VOR recovery, 55–56
Hair cells (Type II)
boutons and, 184, 186–187, 193. *See also* Labyrinthine efferent system
distribution of, 183
filtering properties of, 138–148
microvesicles in, 2, 4–10
structure of, 474–475
type I compared with, 71
Head direction cells, visual cue control over, 642–644
HGVPs. *See* Horizontal gaze velocity Purkinje cells
Hippocampal ACh release, 633–634
Hippocampal electroencephalographic activity
locomotion correlation with, 385–386
during passive movements, 390–394
theta rhythm, 386
and beginning of movements, 390–394
eye movement influences on, 396
during passive movement, 395
during rotations, 395–396
during translations, 396
vestibular stimulation and, 396–397
Hippocampal system, and navigation, 402–405
Histaminergic systems, in nausea, 633–634
Horizontal gaze velocity Purkinje cells (HGVPs)
error signals in, 686–688
in motor learning, 526–530, 686

IBN. *See* Inhibitory burst neuron
I_{Ca}. *See* Voltage-gated Ca^{2+} current
IEGs. *See* Immediate early genes
Immediate early genes (IEGs)
activation of, 437–438
mechanisms/techniques, 438–439
research directions using, 441
vestibular studies of, 439–441
Inferior olive. *See also* β-nucleus; Dorsomedial cell column
GABAergic neuron projections to, 541, 544–551
Inhibitory burst neuron (IBN) activity, 601–605
Inhibitory postsynaptic potentials (IPSPs)
in longus capitus motoneurons, 271
in obliquus capitus inferior motoneurons, 267–271
in rectus capitus motoneurons, 265–266
in sternocleidal muscle motoneurons, 271
Insulin-like growth factor-I (IGF-I). *See also* Growth factors
cell types expressing, 39
and precursor cell proliferation
dose-dependent increase in, 38–39
receptor role in, 40
and tumor cell proliferation, 39–40
In vitro whole brain preparations, 424–432
Inwardly rectifying conductance (g_h), 71, 74, 77–84
IPSPs. *See* Inhibitory postsynaptic potentials
IR. *See* K^+-selective inwardly rectifying current

K^+-selective inwardly rectifying conductance (g_{KI}), 71, 77, 80
K^+-selective inward rectifier (IR), 104, 110–111
role for, 112, 114

Labyrinth. *See* Vestibular labyrinth
Labyrinthine efferent system
development of, 21–22
efferent cells segregation, 22–26
efferent fiber pathway differences, 27–29
motoneurons in
differential axonal projections of, 29–31
differential cellular migration in, 26
Lateral vestibulospinal tract (LVST)
development of, 16–19
effects of sectioning, 265, 268–269
organization of, 14
and PSP evocation, 268–272
and SCC inputs, 268–272
Learning. *See* Motor learning
Linear vestibulo-ocular reflex (lVOR). *See also* Angular vestibulo-ocular reflex
aVOR interaction with, 348–349
in darkness, 580–582
modeling the, 350–352
and otolith afferent processing, 352–354
combined lVOR-aVOR accelerations simulation, 356–358

in compensatory network, 348–352, 354–361
and eye movements, 299–300
locomotion excitation of, 348
modeling behavior of, 359–361
sensorimotor context influence on, 322–323, 328–330
earth-fixed targets fixation and, 324–328
head-fixed targets and, 328
simulation of, 354–356
utricle mid-lateral region and, 647–649
vestibulospinal neurons and, 244, 249
Low-voltage-activating K^+ conductance ($g_{K,L}$), 71, 74–83
LVOR. *See* Linear vestibulo-ocular reflex
lVOR. *See* Linear vestibulo-ocular reflex
LVST. *See* Lateral vestibulospinal tract

Mal de débarquement, 598–600. *See also* Nausea; Vestibular memory
Medial longitudinal fasciculus (MLF). *See also* Vestibulocollic reflex
effects of sectioning the, 266–268, 271
and vestibulospinal axons, 244, 256
Medial vestibular nucleus (MVN)
GABAergic neurons in, 443–444
axon terminals of, 454
density in, 445–446
synaptology of, 454–455
types of, 447
ultrastructure of, 446–447, 450–454
high-frequency stimulation effects on, 673–676
P-cells and, 561
and VOR plasticity
spike generation gain control, 492–496
spike generator properties, 490–492
in vitro studies, 503–509
Medial vestibular nucleus neurons
EPSP response in, 503–504
GABA receptors and, 504–507
properties of
on slices, 425–426
in vivo, 427
in vivo–in vitro approach to, 424–425
regular vs. irregular vestibular neurons, 433
synaptic transmission between, 433–434
whole-brain preparations and, 424–425
gaze control-related neuronal network in, 427–432
Medial vestibulospinal tract (MVST). *See also* Eye movement
development of, 16–19
organization of, 14
responses of
to forced head turning, 254, 256–261
in head-free paradigm, 251–255, 258–261
in head-restrained paradigm, 250–251, 258–261
and vestibulocollic (VCR) pathways, 244
Memory. *See* Vestibular memory
Ménière's disease, 670. *See also* Mal de débarquement
and LVOR responses, 647–648
Microvesicles
in afferent boutons, 10
in afferent fibers, 7–9
characteristics of, 8
in nerve fibers, 2–4
proteins associated with. *See* Synapsin I; Synaptophysin
and synaptogenesis, 8–11
during vestibular ontogenesis, 4–6
MLF. *See* Medial longitudinal fasciculus
Mossy fiber projections
to cerebellum
distribution of, 553–555
segregation of, 555–556
to flocculus/paraflocculus, 556–557
Motion sickness. *See* Nausea
Motoneurons. *See also* Neck motoneurons
differential axonal projections of, 29–31
differential cellular migration in, 26
efferent cells segregation from, 22–26
Motor learning. *See also* Vestibular memory; Vestibulo-ocular reflex plasticity
P-cell, HGVPs in, 526, 528–530
P-cell, nonHGVPs and, 526
P-cell error signals and, 686–688
P-cells and, 525–526
in real brain, 528–530
retinal slip and, 527–528
sites of, 528
MVN. *See* Medial vestibular nucleus
MVST. *See* Medial vestibulospinal tract

Nausea. *See also* Mal de débarquement
cholinergic/histaminergic neuron systems in, 633–634
cortical activity during, 670–672
Navigation
behavioral studies on, 400
external sensory information and, 399–400
hippocampal system and, 402–405
neurophysiological studies on, 400–402
Neck motoneurons
innervation on-directions of, 629–632
PSPs evocation in, 264–273
SCC inputs to
in longus capitus, 271
LVST section effects on, 265, 268–269
in obliquus capitus inferior, 267–271

in rectus capitus, 265–266
in sternocleidal muscle, 271
Nerve fibers. *See also* Afferent neurons; Efferent neurons
growth into vestibular epithelium
microvesicle content and, 4–7
during ontogenesis, 2–4, 6–10
and synaptogenesis, 2–4
synaptophysin in, 2–4
Neural integrator (NI)
localization of, 594
modeling of, 594–597
NIC. *See* Nucleus incertus neurons
Nitric oxide synthase (NOS) distribution
during postnatal development, 696–699
in vestibular end organs, 658–661
Nodulus/uvula
and aVOR spatial orientation, 364–366
lesions of, 372–375
oculomotor effects of, 375–379
modular organization of, 557, 559–560
climbing fiber projections, 565–571
cortico-nuclear/cortico-vestibular projections, 571–573
mossy fiber projections to, 555–556
and negative OKAN, 614–618
and spatial orientation, 379–380
NOS. *See* Nitric oxide synthase
NPH. *See* Nucleus prepositus hypoglossi
Nucleus incertus (NIC) neurons
eye movement sensitivity of, 591–593
projection to cerebellar flocculus, 589–591
Nucleus prepositus hypoglossi (NPH), NI in, 594

Ocular torsion, otolith-induced, 583–584
OKAN. *See* Optokinetic after-nystagmus
OKN. *See* Optokinetic nystagmus
Optokinetic after-nystagmus (OKAN)
and aVOR-IVOR interaction, 348
gravito-inertial acceleration and, 356–357, 364
midline medullary section effect on, 368–372
and velocity storage, 718–723
Optokinetic nystagmus (OKN)
gravito-inertial acceleration and, 364
midline medullary section effect on, 368–372
and velocity storage, 718–723
Otolithic function
gravito-inertial acceleration and, 350, 352
and ocular torsion, 583–584
streptomycin effect on, 666–669
Otolith-ocular reflex
and angular velocity detection, 336–338
development of, 709–712
functional subsystems of, 332, 339, 342
and head orientation in space, 333–336, 341–343
inertial vestibular processing, 332, 339–341
and translational VOR, 343–345
VOR, 332, 338–345

Paramedian tracts (PMT-cell groups)
afferent connections of, 534–535
and floccular region, 532, 535–538
nomenclature of, 532–533
physiological properties of, 535
Passive head on body rotation, 601–605
PC. *See* Principal cells
P-cell. *See* Purkinje cell
Platelet-derived growth factor (PDGF). *See* Growth factors
PMT-cell groups. *See* Paramedian tracts
Position-vestibular-pause (PVP) neurons. *See also* Secondary vestibular neurons
absence in vestibular-neck pathway, 259
identifying feature of, 258
monocular eye position sensitivity of, 726
response of
during active/passive head movements, 297–299
during head-free gaze shifts, 276–277, 285–288, 290
during VOR cancellation, 294–295
in VOR, 258
Postsynaptic potentials (PSPs). *See also* Excitatory postsynaptic potentials; Inhibitory postsynaptic potentials
in neck motoneurons, 264, 271–273
SCC-motoneuron connections and
in longus capitus, 271
in obliquus capitus inferior, 267–271
patterns of, 264–273
in rectus capitus, 265–266
in sternocleidal muscle, 271
Post-transduction current (PTC) mechanisms
and afferent response dynamics, 213, 235, 238–239
and endolymph polarization, 234
and interafferent diversity, 215
Potassium conductance. *See* Low-voltage-activating K^+ conductance
Primary vestibular neurons. *See also* Secondary vestibular neurons
responses of, 639–641
Principal cell (PC) ontogeny, 677–678
PSPs. *See* Postsynaptic potentials
PTC. *See* Post-transduction current
Purkinje cells (P-cells). *See also* Horizontal gaze velocity Purkinje cells

ACh effect on, 703–705
flocculus/paraflocculus connections of, 557–562
GABAergic/nonGABAergic neuron innervation by, 607–610
input to fastigial nucleus (FN) of, 304
and MVN, 561
optokinetic modulation of, 703–705
sensitivity of, 306
orientation and, 306–308
during short-latency ocular-following
properties of, 316–317
responses of, 314–315, 318–321
in vestibulocerebellum organization, 557–559, 574
in VOR motor learning, 525–526
error signals in, 686–688
PVP. *See* Position-vestibular-pause neuron

SCC. *See* Semicircular canals
Secondary vestibular neurons. *See also* Eye/head vestibular neurons; Position-vestibular-pause neurons; Primary vestibular neurons
AMPA receptors and, 653
signals generated by
behavioral context and, 292, 301–303
complex processing of, 301
in head-free movements, 295–299
viewing distance and, 299–301
during VOR cancellation, 293–295
Semicircular canal-ocular reflex. *See also* Otolith-ocular reflex
in gaze stabilization, 332, 339
Semicircular canals (SCC)
afferent response determinants in, 213
electrical vs. mechanical stimuli, 222, 224–230, 239
endolymphatic polarization, 219–221
mechanical, 213–215, 217–219, 236–239
afferent response in, 230
nature of, 222–223
post-transduction current (PTC), 213, 215, 235
and compensatory VOR, 713–716
efferent distribution in, 680–682
horizontal canal hair cells. *See also* Vestibular hair cells
delayed rectifier in, 155–158
hair cell bundle properties, 159
inward rectifier in, 158–159
outward currents of, 152–155
resonance in, 151–152
signal processing by, 150, 160–161
neck motoneuron connections with. *See also* Post-synaptic potentials
patterns of, 264–273
posterior canal hair cells. *See also* Vestibular hair cells
distribution of, 88
posterior canal hemicristae
architecture of, 88
hair cell types in, 88–96
transduction currents
electrically modulated, 233–235
mechanically modulated, 231–233
Sensory processing unit, 196. *See also* Vestibular macula
Smooth pursuit (SP) system, 407. *See also* Eye movement
tracking, 413
visual-vestibular interaction and, 413–419
Stereocilia. *See* Ciliary bundles
Synapsin I. *See also* Synaptophysin
localization of, 4, 6
Synaptogenesis
microvesicles and, 7–11
during ontogeny, 4–10
stages of, 4–7
in vestibular epithelium, 1–10
Synaptophysin. *See also* Synapsin I
localization of, 2–4, 6

Transforming growth factor α (TGF-α). *See* Growth factors

Utricular hair cells. *See also* Vestibular hair cells
neomycin effects on, 683–685
transducer currents
g_{KL}, 75–78, 81, 83–84
recorded from, 73–75, 79–81
transduction currents, g_h, 73–75, 77–84
voltage responses of, 71
delayed rectifier conductance, 75–77
to injected currents, 71–84
inwardly rectifying conductance, 77–79

VCR. *See* Vestibulocollic reflex
Velocity storage
and aVOR
midline medullary section effects on, 368–371
and spatial orientation, 348, 359–361
OKAN/OKN and, 718–723
stimulated VN and, 718–723
Vestibular end organs. *See also specific organs*
afferents innervating, 611–613
glucose utilization rate of, 656–657
NOS distribution in, 658–661
synaptic innervation of, 168–169

Vestibular epithelium
hair cell ionic currents in, 663–665
mammalian vs. avian, 42
nerve fiber growth into
microvesicle content and, 2, 4–6
during ontogenesis, 4, 6
synaptogenesis in, 1–10
Vestibular hair cells. *See also* Utricular hair cells
calyx endings of, 1, 10
differentiation of, 42–43
filtering properties of, 138
morphological differences and, 141–148
receptor regions and, 140–141
specialized receptors and, 138–140
nerve fibers and
growth of, 2
reciprocal interactions between, 10–11
synaptic contact establishment of, 2–4
origination of, 2, 38
following sensory epithelium insult, 36–37
growth factors and, 38–42
mammalian-avian comparison of, 42
time of, 34–36
in vestibular epithelia, 34
transducer currents, 650–652
Vestibular labyrinth polarization, 639–641
Vestibular maculae
afferent endings in
morphology of, 196–197
synaptic connections of, 196
compartmental modeling studies of, 196–197
action potential distal spread influence, 209
active membrane influence, 208
calyx endings, 199
efferent processes roles, 209–210
efferent processes simulations, 202–206
neuron branch process simulations, 200–201
primary afferent simulations, 206–208
simulation parameter values, 207–208
stem dimension effects, 208
efferent output in, 196–197
hair cell innervation patterns in, 197
synaptogenesis in, 2
Vestibular memory, 598–600. *See also* Motor learning
Vestibular nuclear complex (VNC). *See also* Vestibular nuclei
afferent projections to, 611–613
AMPA receptor distribution in, 653–655
GABAergic neurons in, 443–444
distribution/density of, 445
types of, 447
ultrastructure of, 451
Vestibular nuclei (VN). *See also* Vestibular nuclear complex
dorsal cap (DC) fibers in, 571–574
GABAergic innervation in, 443–444, 607–610
GABAergic neurons in
axon terminal types of, 447–450, 454
distribution of, 445–447
synaptology of, 454–455
ultrastructure of, 450–454
neural integrator (NI) and, 594
nonGABAergic innervation in, 607–610
P-cell innervations in, 607–610
postnatal development of, 696–699
Vestibular nuclei (VN) Y group
input-output signals
in adapted animals, 519–520
in naive animals, 515–519
in VOR plasticity, 513–514, 520–523
Vestibular projections
development of, 16–19
functional neuroanatomy of, 13–16
Vestibular sensory cells. *See* Hair cells
Vestibular signals. *See also* Secondary vestibular neurons
behavior-contingent processing of, 292–303, 308–311
ciliary bundle deflection and, 85
in FN, 304–305
orientations, 306–308, 310
phase, 306, 309–310
response amplitude, 306–308
Vestibular motion sensation, 407–408, 420–421. *See also* Eye movement
Vestibular system
and autonomic nervous system, 458, 469–470
and cholinergic systems, 633–634
and circulation/respiration regulation
evidence for, 460–462
during postural changes, 458–459
GABAergic innervation
to DMCC, 541
to β-nucleus, 541
and histaminergic systems, 633–634
vestibulo-respiratory reflexes
bulbospinal pathways, 469
and upper airway motoneurons, 469
vestibular nuclei, 467
vestibulo-sympathetic reflexes
brain-stem integrative sites for, 700–702
brain-stem interneurons, 465–466
bulbospinal projections, 465
cerebellum, 466–467
higher centers, 467

model of circuitry producing, 467–468
vestibular nuclei, 463–465
Vestibulocerebellum. *See also* Inferior olive; Nodulus/uvula
cerebellar vs. vestibular target nuclei, 573–574
concept of, 574
DMCC innervation in, 566–568, 574
flocculus compartments in, 559–560
flocculus/paraflocculus modular organization, 557, 559–560
comparisons of, 561–564
in primates, 564–565
modular organization of, 553, 574–575
mossy fiber projections in
distribution of, 553–554
to flocculus/paraflocculus, 556–558
to nodulus/uvula, 555–556
Vestibulocollic reflex (VCR)
and head-free gaze shift, 276
head movements and, 244–245
MVST neurons and, 244, 258–261
Vestibulo-ocular reflex (VOR). *See also* Angular vestibulo-ocular reflex; Linear vestibulo-ocular reflex; Otolith vestibulo-ocular reflex; Visually-guided vestibulo-ocular reflex
in acute vestibular lesions, 619–621
adaptive changes in. *See* Vestibulo-ocular reflex plasticity
asymmetry in, 585–587
bilateral model of, 625–628
and disjunctive eye movements, 724–728
early development of, 635, 637
behavioral measurements, 635–636
hypergravity and, 635, 638
microgravity and, 637–638
and hair cell density, 52–54
during horizontal axis eccentric rotation, 706–708
learning in. *See* Motor learning
memory in. *See* Motor learning
modification of
abducens neurons in, 280–282, 289
in gaze shift, 276–278, 280–290
pure vestibular cells in, 281, 283–285, 289–290
PVP cells in, 285–288, 290
during near target fixation, 706–708
neural integrator (NI) of, 594–597
plugging effect on, 713–716
PVP neuron in, 258
recovery of
anatomic recovery, 52
hair cell regeneration and, 47
type I hair cells and, 55–56
VOR gains, 50
VOR phase shifts, 50–52
rotational kinematics and, 622–624
sites for modulation of, 625–628
vision effects on, 713–716
Vestibulo-ocular reflex (VOR) plasticity. *See also* Medial vestibular nucleus; Motor learning
calcium channels and, 494–495
mechanisms of, 489–490
intact brain and, 528–530
and memory, 526–528
motor learning in, 686
MVN spike generator properties and, 490–492
potential mechanisms of, 499–500, 507–509
model simulations and, 500–503
in vitro studies and, 503–506
spike generation
gain control mechanisms, 495–496
ionic channels and, 492–496
MVN and, 490
Y group role in, 513–514
Vestibulospinal neurons. *See also* Lateral vestibulospinal tract; Medial vestibulospinal tract
classification of, 248
eye movement-related firing behavior of
nonsecondary vestibulospinal neurons, 250
secondary vestibulospinal neurons, 248–249
functional organization of, 13–14
head movement-related firing behavior of, 250
head-free paradigm, 250–256
head-restrained paradigm, 250
and head velocity, 244–245
in VCR, 244–245, 256–261
Visually-guided vestibulo-ocular reflex (VVOR), 632, 706–708
VN. *See* Vestibular nuclei
Voltage-gated Ca^{2+} current (I_{Ca}), 112, 115, 120
Voltage-gated K^+ current (KV), 104, 111–113, 115, 119–120
and hair cell tuning, 119
and low frequency resonance, 120
and spike production, 115
VOR. *See* Vestibulo-ocular reflex
VSSM. *See* Vestibular motion sensation
VVOR. *See* Visually-guided vestibulo-ocular reflex

Index of Contributors

Anastasopoulos, D., 580–582
Angelaki, D. E., 332–347
Art, J. J., 103–122, 123–137

Babalian, A., 424–436
Baird, R. A., 59–70
Barmack, N. H., 541–552, 614–618
Barnes, G. R., 322–331
Belton, T., 244–263, 292–303
Berrebi, A. S., 607–610
Berthoz, A., 385–398
Bhatia, J. K., 585–588
Bohne, B., 666–669
Bos, J. E., 583–584
Boyle, R., 213–243, 244–263
Brichta, A. M., 183–195
Bril, B., 709–712
Bronstein, A. M., 580–582, 647–649
Brookes, G., 647–649
Broussard, D. M., 585–588
Büttner, U., 304–313
Büttner-Ennever, J. A., xi–xii, 532–540

Carey, J. P., 47–58
Chen-Huang, C., 292–303
Cheron, G., 589–593, 594–597
Chimento, T. C., 196–212
Cohen, B., xi–xii, 348–363, 364–384, 443–457, 713–717, 718–723
Cohen, H., 598–600
Correia, M. J., 138–163, 690–692
Cotton, J. R., 85–102
Cullen, K. E., 601–606

Dai, M., 713–717
Daunton, N., 666–669
Degen, J. W., 443–457
de Graff, B., 583–584
Demer, J. L., 706–708
De Zeeuw, C. I., 607–610
Dichgans, J., 619–621
Dickman, J. D., 611–613
Draye, J.-P., 594–597
Dufief, M.-P., 589–593
du Lac, S., 489–498

Eatock, R. A., 71–84
Errico, P., 614–618
Eßeling, K., 635–638

Fernandez-Rodriguez, P., 696–699
Ferraresi, A. A., 614–618
Fetter, M., 619–621
Fettiplace, R., 123–137
Fox, R., 666–669
Frens, M. A., 622–624
Fritzsch, B., 21–33
Fuchs, A. F., 47–58, 276–291
Furness, D. N., 683–685
Futami, T., 264–275

Galiana, H. L., 625–628
Gavrilov, V. V., 385–398
Gdowski, G. T., 292–303
Géléoc, G. S. G., 650–652
Gerrits, N. M., 553–579, 589–593
Gianna, C., 580–582, 647–649
Giaume, C., 677–679
Glonti, L., 304–313
Glover, J. C., 13–20
Godaux, E., 589–593, 594–597
Godfrey, D. A., 653–655
Godfrey, T. G., 653–655
Goldberg, J. M., 183–195, 474–488
Gomi, H., 314–321
Goodman, M. B., 103–122
Grant, J. W., 85–102
Grassi, S., 673–676
Green, A., 625–628
Greenfield, A., 407–423
Gresty, M. A., 580–582, 647–649
Groen, E., 583–584
Grüsser, O.-J., 639–641
Guitton, D., 601–606

Hackney, C. M., 683–685
Henn, V., 622–624, 629–632
Hepp, K., 622–624, 629–632
Hess, B. J. M., 332–347, 629–632
Highstein, S. M., xi–xii, 213–243, 513–524
Holstein, G. R., 443–457, 696–699
Honrubia, V., 407–423
Horii, A., 633–634
Horn, A. K. E., 532–540
Horn, E. R., 635–638

Inoue, Y., 314–321
Izawa, Y., 264–275

Kakei, S., 264–275
Kaufman, G. D., 437–442
Kawano, K., 314–321
Kawato, M., 314–321
King, W. M., 724–728
Kinney, G. A., 499–512
Kleine, J. F., 639–641
Knierim, J. J., 399–406, 642–644

Knox, J., 666–669
Kros, C. J., 650–652
Kubo, T., 633–634
Kucharczyk, J., 670–672
Kudrimoti, H. S., 399–406, 642–644

Lanford, P. J., 645–646
Lau, C., 407–423
Ledebt, A., 709–712
Lennan, G. W. T., 650–652
Lempert, T., 647–649
Li, H., 653–655
Libert, G., 594–597
Ling, L., 276–291
Lisberger, S. G., 525–531, 686–689
Lyon, M. J., 656–657
Lysakowski, A., 164–182, 658–662

Martinelli, G. P., 443–457, 696–699
Masetto, S., 663–665
McCrea, R. A., 244–263, 292–303
McNaughton, B. L., 399–406, 642–644
Meza, G., 666–669
Miller, A. D., 670–672
Mühlethaler, M., 424–436

Na, J., 264–275

Oesterle, E. C., 34–46
Olds, M. J., 656–657

Paige, G. D., 322–331, 693–695
Partsalis, A. M., 513–524
Perachio, A. A., 680–682
Peterson, B. W., 499–512
Peterson, E. H., 85–102
Pettorossi, V. E., 614–618, 673–676
Peusner, K. D., 677–679
Phillips, J. O., 276–291
Popper, A. N., 645–646
Presson, J. C., 645–646
Prigioni, I., 663–665
Purcell, I. M., 680–682

Quinn, K. J., 499–512
Quint, E., 683–685

Rabbitt, R. D., 213–243
Raphan, T., 348–363, 364–384, 713–717, 718–723
Raymond, J. L., 686–689
Reisine, H., 718–723
Rennie, K. J., 138–163, 690–692
Ricci, A. J., 138–163, 690–692
Roberts, T. P. L., 670–672
Ross, M. D., 196–212
Rowley, H. A., 670–672
Rubel, E. W, 34–46, 47–58
Rubin, A. M., 653–655
Ruigrok, T. J. H., 553–579
Rupert, A., 407–423
Rüsch, A., 71–84
Russo, G., 663–665

Sans, A., 1–12
Scarfone, E., 1–12
Schuff, N. R., 59–70
Sebastian, C. E., 635–638
Seidman, S. H., 322–331, 693–695
Serafin, M., 424–436
Shaer, J. L., 696–699
Shidara, M., 314–321
Shinoda, Y., 264–275
Siebold, C., 276–291, 304–313
Singer, M., 658–662
Skaggs, W. E., 399–406
Slater, N. T., 499–512
Steinacker, A., 150–163
Steinbacher, B. C., Jr., 700–702
Steyger, P. S., 59–70
Straumann, D., 629–632
Sugiuchi, Y., 264–275
Suzuki, J.-I., 713–717
Suzuki, Y., 622–624, 629–632

Takeda, N., 633–634
Takemura, A., 314–321
Tan, H. S., 703–705
Telford, L., 322–331
Tucker, T., 123–137

Van der Steen, J., 703–705
Vibert, N., 424–436
Vidal, P. P., 424–436
Viirre, E. S., 706–708
Voogd, J., 553–579

Wearne, S., 348–363, 364–384
Wiener, S. I., 385–398
Wiener-Vacher, S. R., 709–712

Yakushin, S., 713–717
Yamatodani, A., 633–634
Yates, B. J., 458–473, 700–702
Yokota, J.-I., 718–723

Zampolini, M., 673–676
Zhou, W., 724–728